

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
95	Wood Island Light	43 27 24 N 70 19 42 W	Al W G 10s	71	W 18 G 16	White conical tower connected to dwelling.	Emergency light (FI G 10s) of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si).
					*		43/02
10500	Pitchers Shoal Buoy PS					Green can with red bands.	
	*						43/02
10845	- MOORING DOLPHIN LIGHT N Marks north end of dolphin cluster.						Remove from list.
							* 43/02
10850	- MOORING DOLPHIN LIGHT S Marks south end of dolphin cluster.						Remove from list.
							* 43/02
21200	CLIS Dumping Ground Lighted Buoy CDA	41 09 13 N 72 52 30 W	FI Y 4s		5	Yellow.	Maintained from Oct. 1 to Jun. 1. U.S. Army maintained.
		*					43/02
21370	Western Long Island Sound Dumping Ground Lighted Buoy WDA	40 59 11 N 73 28 43 W	FI Y 4s		6	Yellow.	Maintained from Oct. 1 to June 1. U.S. Army maintained.
		*					43/02
21830	New London Dumping Ground Lighted Buoy NDA	41 16 14 N 72 04 53 W	FI Y 4s			Yellow.	Maintained from Oct. 1 to June 1. U.S. Army maintained.
		*					43/02

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7415	- Lighted Buoy 59 75 feet outside channel limit.		FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
					*		43/02
7420	Chesapeake Bay Buoy 59A	37 40 47 N 76 11 29 W				Green can.	
		*					43/02
9565	- Buoy 6	36 54 40 N 76 19 48 W				Red nun.	
		*					43/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Delete Heading: *Craney Island Disposal Area							
9570	- Buoy 8						Remove from list.
							* 43/02
*Add Heading: *Craney Island Disposal Area							
9575	- North Range Front Daybeacon	36 53 57 N 76 20 54 W		17	KRW on pile.		Maintained by Corps of Engineers.
							43/02
10700	- LIGHT 11 120 feet outside channel limit.		FI G 4s	15	4	SG on pile.	
				*	*		43/02
Nansemond River							
11060	- CHANNEL LIGHT 11		FI G 4s	18	4	SG on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
						*	43/02
11100	- CHANNEL LIGHT 19		FI G 4s	15	4	SG on slatted pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
							43/02
19055	TOWN CREEK LIGHT 2	38 18 55 N 76 28 45 W	FI R 4s	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*		*			43/02
*28962.1	- Buoy 25					Green can.	
							43/02
*28977	- Buoy 31A					Green can.	
							43/02
*29983	- Buoy 1B					Green can.	
							43/02
31960	ROANOKE ISLAND WEST SIDE LIGHT 2		FI R 2.5s	15	3	TR on pile.	Light equipment removed when endangered by ice.
					*		43/02
33565	LONG BAY LIGHT 2	34 58 10 N 76 25 29 W	FI R 2.5s	15	4	TR on pile.	
		*					43/02
33810	- ENTRANCE LIGHT 3	34 55 25 N 76 45 34 W	FI G 4s	15	4	SG on pile.	
					*		43/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Neuse River							
33965	- CHANNEL LIGHT 11		Q G	15	4	SG on multi-pile structure.	
	*				*		43/02
33970	- Channel Daybeacon 13					SG on pile.	
	*						43/02
37195	- LIGHT 11		FI G 4s	15	4	SG-SY on pile.	
				*			43/02
*37622	- Daybeacon 119					SG on pile.	
							43/02
38300	- LIGHT 3		FI G 2.5s	15	3	SG-SY on pile.	
					*		43/02
CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3775.5	- Daybeacon 3A					SG on pile..	
	*					*	43/02
*14057	- Daybeacon 2A					TR on pile.	Private aid.
							43/02
*14059	- Daybeacon 3					SG on pile.	Private aid.
							43/02
*14067	- Daybeacon 6					TR on pile.	Private aid.
							43/02
*14343	- Daybeacon 2A					TR on pile.	Private aid.
							43/02
Cut C Channel							
22580	- LOWER RANGE FRONT LIGHT	27 40 14 N 82 36 17 W	Q R	26	5	KRW on pile.	Visible all around; higher intensity on rangeline.
		*			*		43/02
*23127	- Daybeacon B					NY on pile.	Private aid.
							43/02
*23128	- Daybeacon C					NY on pile.	Private aid.
							43/02
*23129	- Daybeacon D					NY on pile.	Private aid.
							43/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Add Heading: *McKay Bay							
*23617	- Daybeacon A				NY on pile.		Private aid. 43/02
38355	- Daybeacon 2						Remove from list. * 43/02
51773	Kreamer Shoal Daybeacon On end of shoal.						Remove from list. * 43/02

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
36555	Northern Pipeline Lighted Buoy A						Remove from list. * 43/02
36560	Northern Pipeline Lighted Buoy B						Remove from list. * 43/02

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8165	- ENTRANCE RANGE FRONT LIGHT	40 45 05 N 124 13 36 W	Q G	20		KRW on pile.	Visible 5° each side of rangeline. Lighted throughout 24 hours. * 43/02
8170	- ENTRANCE RANGE REAR LIGHT 268 yards, 141.5° from front light.		Oc G 4s	38		KRW on pile.	Lighted throughout 24 hours. * 43/02
University of California Davis							
8591	- Lighted Research Buoy 1	39 06 37 N 120 04 31 W	Q Y			Yellow spar.	Private aid. * 43/02
8591.1	- Lighted Research Buoy 2	39 06 34 N 120 00 39 W	Q Y			Yellow spar.	Private aid. * 43/02
8591.2	- Lighted Research Buoy 3	39 09 11 N 120 00 01 W	Q Y			Yellow spar.	Private aid. * 43/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8591.3	- Lighted Research Buoy 4	39 09 18 N 120 04 20 W	Q Y			Yellow spar.	Private aid.
		*					43/02
							43/02
*8591.5	- Lighted Research Buoy 6	38 59 23 N 120 03 03 W	Q Y			Yellow spar.	Private aid.
							43/02
9795	- ENTRANCE RANGE FRONT LIGHT	44 48 34 N 124 03 43 W	Q R	42		KRW on skeleton tower.	Lighted throughout 24 hours.
		*	*				* 43/02
9800	- ENTRANCE RANGE REAR LIGHT 16 yards, 085.5° from front light.		Iso R 6s	54		KRW on skeleton tower.	Lighted throughout 24 hours.
			*				* 43/02
16495 17525	POINT HUDSON LIGHT 4	48 07 02 N 122 44 57 W	Iso R 6s	35	7	TR on skeleton tower.	HORN: 2 blast ev 20s (2s bl-2s si-2s bl-14s si).
		*		*			43/02
17525 16495	POINT HUDSON LIGHT 4	48 07 02 N 122 44 57 W	Iso R 6s	35	7	TR on skeleton tower.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si).
		*		*			43/02
21841	Stone Rock Bay Coast Guard Mooring Buoy	54 45 24 N 132 00 24 W				White sphere with blue stripe.	Maintained from Mar. 15 to Oct. 1.
		*					43/02
21973	Mountain Point Daybeacon 2	55 17 36 N 131 32 35 W				TR on skeleton tower.	
		*					43/02
Tamgas Harbor							
22010	-ENTRANCE LIGHT	55 01 18 N 131 30 48 W	FI W 4s	30	4	NR on skeleton tower.	
						*	43/02
*22142	Temp Buoy A	55 19 24 N 131 36 24 W				White with orange bands labeled "7 KTS".	43/02
22147	SAXMAN BREAKWATER LIGHT	55 18 53 N 131 35 46 W	F R	15		On post.	Private aid.
		*					43/02
*22156	Temp Buoy B	55 19 30 N 131 39 12 W				White with orange bands labeled "7 KTS".	43/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22158	COAST GUARD STATION LIGHT	55 19 30 N 131 37 18 W	FI W 4s	4		NR on skeleton tower.	
		*				*	43/02
22255	CHANNEL ISLAND LIGHT 14	55 23 42 N 131 45 54 W	FI R 4s	24	5	TR on skeleton tower on concrete base.	Obscured from 238° to 268°.
					*		43/02
22403	CLARK BAY LIGHT 2	55 29 54 N 132 35 06 W	FI R 2.5s	8	4	TR on skeleton tower.	Obscured from 042° to 155°.
						*	43/02
Stephens Passage							
23775	POINT HILDA LIGHT	58 13 00 N 134 30 24 W	FI W 6s	20	5	NR on skeleton tower.	Obscured from 080° to 274°.
						*	43/02
24331	McLeod Bay Coast Guard Mooring Buoy	54 41 36 N 132 41 12 W				White sphere with blue stripe.	Maintained from Mar. 15 to Oct. 1.
		*					43/02
24375	Obstruction Buoy SS	55 12 00 N 132 49 48 W				Green and red bands.	
						*	43/02
24635	KLAUOCK HARBOR ENTRANCE LIGHT 2	55 33 24 N 133 06 18 W	FI R 4s	20	4	TR on skeleton tower on pier.	
						*	43/02
24753	- Daybeacon E	55 57 48 N 133 37 24 W				TR on pile.	
	*						43/02
27485	- South Channel Daybeacon 10	53 52 31 N 166 32 49 W		10		TR on pile structure.	
	*	*		*		*	43/02
27490	- South Channel Daybeacon 11	53 52 31 N 166 32 49 W		10		SG on pile structure..	
	*	*		*		*	43/02
27495	- South Channel Daybeacon 12	53 52 33 N 166 32 56 W		10		TR on pile structure.	
	*	*		*		*	43/02
27500	- South Channel Daybeacon 13	53 52 32 N 166 32 59 W		10		SG on pile structure.	
	*	*		*		*	43/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15150	LAC LA BELLE NORTH PIERHEAD LIGHT		FI R 4s	25 8	4	TR on gray pole.	
						*	43/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
 Denotes a new entry when preceding the station number.